BUREAU VERITAS

TEST REPORT

Technical Report: 测试报告号: Date Received: 样品接受时间:

Apr.16,2022

(3222)106-0022

May.20,2022

Page 1 of 15

ZHEJIANG, 315311, CHINA 1999

SAMPLE INFORMATION:

Sample Description: 样品描述:	FTP6 PVC 灰、FTP6 PVC 绿、SFTP 6ALSZH灰、 UTP6 LDPE	Style No(s): 型 号 :	1
Sample Status 样品状态:	INTACT完好	PO No. 采 购 订 单	/
Manufacturer:	1	Country of Origin:	1
│制造商: │Buyer:	1	原产地: Country of Destination:	1
		目的国:	

Above sample information was provided and confirmed by customers, BV is not responsible for its accuracy or completeness.

以 上 样 品 信 息 由 客 户 提 供 并 确 认 , B V 不 对 其 准 确 性 和 完 整 性 负 责 。

hina

EXECUTIVE SUMMARY:

1F

No.6

Tel:86-57 87971038

website:cps.b

91333. Fax

auveritas

TEST REQUESTED	CONCLUSION
测试需求	结论
Compliance Test - Heavy Metals, Flame Retardants Content - European Parliament and Council Directive 2011/65/EU on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) with its Amendments 合规测试 - 重金属, 阻燃剂含量 - 有关欧盟委员会针对电子产品的 指令(电子电气禁用某些有	PASS 通 过
壱衲旃a振舎Test ²⁰ Phttlâ抱teどontent – (EU) 2015/863 amending Annex II to Directive 2011/65/EU	PASS
合规测试,邻苯二甲酸盐含量 — 2011/65/EU附录II的修订指令(EU)	通过
The compositetestingwasperformedasperclient'srequest.按照客户要求进行混 The testconclusionwasgivenbasedontheresultsoftestedpart.结论基于测试部位组 Chinese translation of report just for reference only, English report shall prevail if you ha 报告中文翻译仅供参考,如有异议以英文报告内容为准。 With the client's prior consent,the above * was subcontracted test item.	吉果。
经客户同意,上述*为分包测试。 FECHNICAL SEA	

Intup://www.oureauvertuas.com/nome/aout-us/our-pusiness/eps/about-us/terms-conditions/and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. You have 60 days from date of issuance of this report to notify us of any material error or mission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute you unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



Technical Report: **(3222)106-0022** May.20,2022 Page 2 of 15

<u>REMARK/备注</u>

If there are questions or concerns on this report, please contact the following persons:

若有任何疑问或咨询,可通过下述联络方式与我们联络 Customer service 洪珺小姐 Ms. 客户服务 (05741) 870991319 kira.hong@bureauveritas.com

Technical support

BUREAU VERITAS TESTING TECHNICAL SERVICE (ZHEJIANG) CO.,LTD 必维检测技术服务(浙江) 有限公司

PREPARED BY : 制 定: Sylvia

JaneYe/叶一军 TECHNICAL MANAGER 技术经理

le

Ime



Technical Report: (3222)106-0022 . May.20,2022 Page 3 of 15

TESTRESULT测试结果

Compliance Test - Heavy Metals, Flame Retardants Content - European Parliament and Council Directive 2011/65/EU on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) with its Amendments -重金属,阻燃 剂含量 是<u>些有害物质 指令), 2011/65/EU</u> - 有关欧盟委员 会针对 电子产品的指令(电子 电

合规测试

See Appendix. : 见附录

Test Method 测试方法

See Analytes and their corresponding Maximum Allowable Limit in Appendix 分析物及其对 应的最大允许限 - 见附录

	-		Result结果								
	Parameter参数		Lead (Pb) 铅	Cadmium (Cd) 镉	Mercury (Hg) 汞	Chromium VI (Cr VI) 六价铬	PBBs &PBDEs 多溴联苯& 多溴二苯醚	Conclusion 结 论			
	Unit单位		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	-			
Test Item 测试项目	Description 描 述	Location 位置	-	-	-	-	-	-			
	Testedcompo LDPE	nentsof FTI	P6 PVC	灰、FTP6 F	PVC绿、SF	TP 6ALSZH	l灰、UTP6				
	Gray plastic		洌	试组件的模	<mark>型 XXX</mark>						
1	casing#灰色塑 料	Housing 外 売	ND	ND	ND	ND	ND	PASS 通 过			
2	A船船船m foil#ALUMinUM 薄 片	Inside 里 面 的	ND	ND	ND	ND	NA	PASS 通 过			
3	Translucent plastic inner support#半透 明塑料内里支	Inside 里 面 的	ND	ND	ND	ND	ND	PASS 通 过			
4	Transparent plastic film#透明塑料膜	Inside 里 面 的	ND	ND	ND	ND	ND	PASS 通 过			
5	Silvery metal wire# 银色金属线芯	Wire线芯	ND	ND	ND	ND	NA	PASS 通 过			
6	Green soft plastic wirejacket#绿色软 塑 料 线 皮	Wire jacket 线 皮	ND	ND	ND	ND	ND	PASS 通 过			
7	Green white soft plastic wire jacket# 绿色白色软塑 料线	Wire jacket 线 皮	ND	ND	ND	ND	ND	PASS 通 过			
8	Brown soft plastic wirejacket#褐色软 塑 料 线 皮	Wire jacket 线 皮	ND	ND	ND	ND	ND	PASS 通 过			
9	Brown white soft plastic wire jacket# 褐色白色软塑 料线	Wire jacket 线 皮	ND	ND	ND	ND	ND	PASS 通 过			



Technical Report: **(3222)106-0022** May.20,2022 Page 4 of 15

						Result结果	Page	e 4 of 15
	- Parameter参数		Lead (Pb) 铅	Cadmium (Cd) 镉	Mercury (Hg) 汞	Chromium VI (Cr VI) 六价铬	PBBs &PBDEs 多溴联苯& 多溴二苯醚	Conclusion 结 论
	Unit单位		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	-
10	Orange white soft plastic wire jacket# 橙 色 白 色 软 塑 料 线	Wire jacket 线 皮	ND	ND	ND	ND	ND	PASS 通 过
11	Orange 感ft plastic wirejacket#橙色软 塑料线皮	Wire jacket 线 皮	ND	ND	ND	ND	ND	PASS 通 过
12	Blue white soft plastic wire jacket# 蓝色白色软塑 料线	Wire jacket 线 皮	ND	ND	ND	ND	ND	PASS 通 过
13	Blue soft plastic wirejacket#蓝色软 塑料线皮	Wire jacket 线 皮	ND	ND	ND	ND	ND	PASS 通 过
14	Copper metal wire#铜色金属线	Wire线芯	ND	ND	ND	ND	NA	PASS 通 过
15	芯 Black plastic casing#黑色塑 料	Housing 外 売	ND	ND	ND	ND	ND	PASS 通 过
16	Oran ge⁴söft^Cp lastic wirejacket#橙色软 塑料线皮	Wire jacket 线 皮	ND	ND	ND	ND	ND	PASS 通 过
17	Orange white soft plastic wire jacket# 橙色白色软塑 料线	Wire jacket 线 皮	ND	ND	ND	ND	ND	PASS 通 过
18	Blue so <mark>ඈ</mark> plastic wirejacket#蓝色软 塑料线皮	Wire jacket 线 皮	ND	ND	ND	ND	ND	PASS 通 过
19	Blue white soft plastic wire jacket# 蓝色白色软塑 料线	Wire jacket 线 皮	ND	ND	ND	ND	ND	PASS 通 过
20	Brown soft plastic wirejacket#褐色软 塑料线皮	Wire jacket 线 皮	ND	ND	ND	ND	ND	PASS 通 过
21	Brown white soft plastic wire jacket# 褐色白色软塑 料线	Wire jacket 线 皮	ND	ND	ND	ND	ND	PASS 通 过
22	Green soft plastic wirejacket#绿色软 塑料线皮	Wire jacket 线 皮	ND	ND	ND	ND	ND	PASS 通 过
23	Green white soft plastic wire jacket# 绿色白色软塑 料线 皮	Wire jacket 线 皮	ND	ND	ND	ND	ND	PASS 通 过



Technical Report: **(3222)106-0022** May.20,2022 Page 5 of 15

	-					Result结果	i age	e 5 of 15					
	Parameter参数		Parameter参数		Parameter参数					Mercury (Hg) 汞	Chromium VI (Cr VI) 六价铬	PBBs &PBDEs 多溴联苯& 多溴二苯醚	Conclusion 结 论
	Unit单位		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	-					
24	Green plastic casing#绿色塑 料	Housing 外 売	ND	ND	ND	ND	ND	PASS 通 过					
25	Gr sen Splastic frame#绿色塑料 框	Housing 外 売	ND	ND	ND	ND	ND	PASS 通 过					
26	Silveryn裡tal#银色 金属	Housing 外 売	ND	ND	ND	ND	NA	PASS 通 过					
27	Transparent plastic#透明塑	Housing 外 売	ND	ND	ND	ND	ND	PASS 通 过					
28	料Silvery metal sheet#银色金属	Inside 里 面 的	ND	ND	ND	ND	NA	PASS 通 过					
29	Öreen soft plastic wirejacket#绿色软 塑料线皮	Wire jacket 线 皮	ND	ND	ND	ND	ND	PASS 通 过					
30	Green white soft plastic wire jacket# 绿色白色软塑 料线	Wire jacket 线 皮	ND	ND	ND	ND	ND	PASS 通 过					
31	Orange <mark>感</mark> ft plastic wirejacket#橙色软 塑 料 线 皮	Wire jacket 线 皮	ND	ND	ND	ND	ND	PASS 通 过					
32	Orange white soft plastic wire jacket# 橙色白色软塑 料线	Wire jacket 线 皮	ND	ND	ND	ND	ND	PASS 通 过					
33	Blue write soft plastic wire jacket# 蓝色白色软塑 料线	Wire jacket 线 皮	ND	ND	ND	ND	ND	PASS 通 过					
34	Blue so <mark>枏</mark> plastic wirejacket#蓝色软 塑料线皮	Wire jacket 线 皮	ND	ND	ND	ND	ND	PASS 通 过					
35	Brown soft plastic wirejacket#褐色软 塑料线皮	Wire jacket 线 皮	ND	ND	ND	ND	ND	PASS 通 过					
36	Brown white soft plastic wire jacket# 褐色白色软塑 料线	Wire jacket 线 皮	ND	ND	ND	ND	ND	PASS 通 过					
37	Gray 劇 astic casing#灰色塑 料	Housing 外 売	ND	ND	ND	ND	ND	PASS 通 过					
38	G GAA∲\$MaSt ic frame#灰色塑料 框	Housing 外 売	ND	ND	ND	ND	ND	PASS 通 过					



Technical Report: (3222)106-0022 May.20,2022 Page 6 of 15

							i ugi	,00110
	-					Result结果		
	Parameter参数		Lead (Pb) 铅	Cadmium (Cd) 镉	Mercury (Hg) 汞	Chromium VI (Cr VI) 六价铬	PBBs &PBDEs 多溴联苯& 多溴二苯醚	Conclusion 结 论
	Unit单位		mg/kg	mg/kg	mg/kg	mg/kg	mg/kg	-
39	White soft plastic wirejacket#白色软 塑料线皮	Wire jacket 线 皮	ND	ND	ND	ND	ND	PASS 通 过
40	Green soft plastic wirejacket#绿色软 塑料线皮	Wire jacket 线 皮	ND	ND	ND	ND	ND	PASS 通 过
41	Brown soft plastic wirejacket#褐色软 塑 料 线 皮	Wire jacket 线 皮	ND	ND	ND	ND	ND	PASS 通 过
42	Blue soft plastic wirejacket#蓝色软 塑 料 线 皮	Wire jacket 线 皮	ND	ND	ND	ND	ND	PASS 通 过
43	Orange soft plastic wirejacket#橙色软 塑料线皮	Wire jacket 线 皮	ND	ND	ND	ND	ND	PASS 通 过

Note/Key注释:

ND = Not detected未检出 NR = Not requested未要求 Detection Limit: See Appendix. 检出限-见附录 ">" = Greater than 大子 "<" = Less than 小子 mg/kg = milligram(s)perkilogram毫克每千克 = ppm = part(s) per million NA = Not applicable不适用 EX= Exempted豁免

Remark :

The testing approachis listed in table of Appendix.测试方法 – 见附录。

* denotes as reported result(s) was (were) performed by wet chemistry method. Others were screened by XRF. For XRF screening, the result(s) of Cr VI was (were) reported as total chromium and the result(s) of PBBs and PBDEs was (were) reported as total bromine. Also, the XRF result(s) may be different to the actual content based on various factors including, but not limit to, sample size, thickness, area, non-uniformity composition, surface flatness. 标有*的结果为湿化学测试结果,其它为 XRF 扫描结果。对于 XRF 扫描, 六价铬结果以总 铬量表示, 而多溴联苯 (PBBs) 和多溴二苯醚 (PBDEs) 结果以总溴量表示。此外,基于,但不限于,样品量、厚度、面积、成分的不均匀 性、表面平整性等原因,该评估的 XRF结果可能与实际浓度有所偏差。

Only selected example(s) is (are) indicated on the photograph(s) in Comment. 照片只显示被选择的样品 – 见注解。



Technical Report: (3222)106-0022 May.20,2022 Page 7 of 15

<u>TESTRESULT测试结</u>

 Test Method:
 Reference to IEC 62321-8: 2017.

 测试方
 参照 Reference to IEC 62321-8: 2017.

 法:

Maximum Allowable Limit: 0.1% (Each) 最大允许限 0.1%(各)

Parameter	CAS No.	Unit	MDL	Result 结 果				
参数	040 110.	单 位	方 法 检 测 限	1+15	3+27	4	6+7+8	
Dibutyl phthalate (DBP) 邻苯二甲酸二丁酯	84-74-2	%	0.005	ND	ND	ND	ND	
Butyl benzyl phthalate (BBP) 邻苯二甲酸丁基苄基酯	85-68-7	%	0.005	ND	ND	ND	ND	
Di-2-ethylhexyl phthalate (DEHP) 邻苯二甲酸二(2-乙基己基)酯	117-81-7	%	0.005	ND	ND	ND	ND	
Diisobuty phthalate (DIBP) 邻苯二甲酸二异丁酯	84-69-5	%	0.005	ND	ND	ND	ND	
Conclusion 结论	-	-	-	PASS 通 过	PASS 通 过	PASS 通 过	PASS 通过	

Parameter	CAS No. Unit		MDL	Result 结 果				
参数 	CAS NO.	单位	方 法 检 测 限	9+10+11	12+13+ 16	17+18+ 19	20+21+ 22	
Dibutyl phthalate (DBP) 邻苯二甲酸二丁酯	84-74-2	%	0.005	ND	ND	ND	ND	
Butyl benzyl phthalate (BBP) 邻苯二甲酸丁基苄基酯	85-68-7	%	0.005	ND	ND	ND	ND	
Di-2-ethylhexyl phthalate (DEHP) 邻苯二甲酸二(2-乙基己基)酯	117-81-7	%	0.005	ND	ND	ND	ND	
Diisobuty phthalate (DIBP) 邻苯二甲酸二异丁酯	84-69-5	%	0.005	ND	ND	ND	ND	
Conclusion 结论	-	-	-	PASS 通 过	PASS 通 过	PASS 通 过	PASS 通过	



Technical Report: **(3222)106-0022** May.20,2022 Page 8 of 15


Parameter			Unit MDL		Result 结 果				
参数	CAS NO.	单位	方 法 检 测 限	23+29+ 30	24+25	31+32+ 33	34+35+ 36		
Dibutyl phthalate (DBP) 邻苯二甲酸二丁酯	84-74-2	%	0.005	ND	ND	ND	ND		
Butyl benzyl phthalate (BBP) 邻苯二甲酸丁基苄基酯	85-68-7	%	0.005	ND	ND	ND	ND		
Di-2-ethylhexyl phthalate (DEHP) 邻苯二甲酸二(2-乙基己基)酯	117-81-7	%	0.005	ND	ND	ND	ND		
Diisobuty phthalate (DIBP) 邻苯二甲酸二异丁酯	84-69-5	%	0.005	ND	ND	ND	ND		
Conclusion 结论	-	-	-	PASS 通过	PASS 通 过	PASS 通 过	PASS 通 过		

Parameter	CAS No. Unit		MDL	Result 结果			
参数	OAO NO.	单位	方 法 检 测 限	37+38	39+40+41	42+43	
Dibutyl phthalate (DBP) 邻苯二甲酸二丁酯	84-74-2	%	0.005	ND	ND	ND	
Butyl benzyl phthalate (BBP) 邻苯二甲酸丁基苄基酯	85-68-7	%	0.005	ND	ND	ND	
Di-2-ethylhexyl phthalate (DEHP) 邻苯二甲酸二(2-乙基己基)酯	117-81-7	%	0.005	ND	ND	ND	
Diisobuty phthalate (DIBP) 邻苯二甲酸二异丁酯	84-69-5	%	0.005	ND	ND	ND	
Conclusion 结论	-	-	-	PASS 通过	PASS 通 过	PASS 通 过	

Note注释: mg/kg= milligramperkilogram毫克每千 荫DL= MethodDetectionLimit方法检测 阳D = Not Detected(< MDL)未检出 % = percentage百分比 1 mg/kg = 0.0001% "-" = Not Regulated未规定




Technical Report: **(3222)106-0022** May.20,2022 Page 9 of 15





Technical Report: **(3222)106-0022** May.20,2022 Page 10 of 15





Technical Report: **(3222)106-0022** May.20,2022 Page 11 of 15

APPENDIX附录

Europ 分析:	f Analytes and their Corresponding Test Metho ean Parliament and Council Directive 2011/65/ 物名单、 其相应的测试方法、检出限及	EU]: 最 大 允 许 限	[合规测	试 -欧盟委	-	npliance Test for 2 0 1 1 / 6 5 /
EU]:	Name of Analytes		DetectionLimit ff0g/fe93cence(X X射线荧光	Wet	Maximum Allowable	
No.	分析物名称	Plastic 塑料	Metallic 金 属/glass玻 璃/ceramic 陶瓷	Others 其 他 材 料	Chemistry 湿化学	Limit 最大允许 限 (mg/kg)
1	Lead (Pb) 铅	100	200	200	10 ^[b]	1000
2	Cadmium (Cd) 镉	50	50	50	10 ^[b]	100
3	Mercury (Hg) 汞	100	200	200	10 ^[c]	1000
4	Chromium (Cr) 铬	100	200	200	NA	NA
5	ChromiumVI(Cr VI)六价铬	NA	NA	NA	3 ^[g, h] / 10 ^[d] / See见 ^[e,j]	1000 / Negative 阴性 ^[j]
6	Bromine (Br) 溴	200	NA	200	NA	NA
7	Polybromobiphenyls(PBBs)多溴联 苯 - Bromobiphenyl (MonoBB) - Dibromobiphenyl (DIBB) - Tribromobiphenyl (TriBB) - Tetrabromobiphenyl (TetraBB) - Pentabromobiphenyl (PentaBB) - Hexabromobiphenyl (HexaBB) - Heptabromobiphenyl (HeptaBB) - Octabromobiphenyl (OctaBB) - Nonabromobiphenyl (NonaBB)	NA	NA	NA	Each各 50 ^[f]	Sum总 1000
8	PB9cabroadphichgneth(Bec(理题)Es) 多 溴 二 苯 醚 - Bromodiphenyl ether (MonoBDE) - Dibromodiphenyl ether (DiBDE) - Tribromodiphenyl ether (TriBDE) - Tetrabromodiphenyl ether (TetraBDE) - Pentabromodiphenyl ether (PentaBDE) - Hexabromodiphenyl ether (HexaBDE) - Heptabromodiphenyl ether (HexaBDE) - Octabromodiphenyl ether (OctaBDE) - Nonabromodiphenyl ether (NonaBDE) - Decabromodiphenyl ether (DecaBDE)	NA	NA	NA	Each各 50 ^[f]	Sum总 1000




Technical Report: **(3222)106-0022** May.20,2022 Page 12 of 15

	NA = Notapplicable不适用
a]	Test method with reference to International Standard IEC 62321-3-1: 2013.
	测试方法参照国际标准 IEC62321-3-1:2013.
b]	Test method with reference to International Standard IEC 62321-5: 2013.
-	测试方法参照国际标准 IEC62321-5:2013.
c]	Test method with reference to International Standard IEC 62321-4: 2013+AMD1: 2017 CSV.
	测试方法参照国际标准 IEC62321-4:2013+AMD1:2017CSV.
4]	Polymers and Electronics - Test method with reference to International Standard IEC 62321-7-2: 2017.
	聚合物及电子 -测试方法参照国际标准 IEC62321-7-2:2017.
]	Metal - Test method with reference to International Standard IEC 62321-7-1: 2015 ¹¹ .
	金属 -测试方法参照国际标准 IEC62321-7-1:2015 th est method with reference to International Standard IEC 62321-6: 2015.
	测试方法参照国际标准 IEC62321-6:2015.
	週間方法参照国际标准 TEC62521-6.2015. Leather - Test method International Standard ISO 17075: 2017.
]	上 a life - Test method international Standard ISO 17075. 2017. 皮革 - 测试方法国际标准
	反單 - 测风方法国际标准 Gher Than 5 Menal, Leather, Polymers and Electronics - Test method with reference to International Standard ISO 17075:
]	2017.
	非金属,皮革,聚合物及电子 -测试方法参照国际标准 ISO17075:2017.
	The principle of this method was evaluated and supported by two studies organized by IEC TC 111 WG3. These studies were
	focused on detecting the presence of Cr VI in the corrosion protection coatings on metallic samples.
	该方法的原 理是在由 IEC TC111WG3组织的两次 研究中得到了 充分评估并获 得了认可。这 些研究侧重于对 金庸 样品上防 腐涂
	尾虫lico) 纷 铬 的 存 在e的li检r测te病l(茵 测动Were) expressed in term of positive and negative. Negative means the absence
	of Cr VI on the tested areas and the result(s) was (were) regarded as in compliance with European Parliament and Council
	Directive 2011/65/EU, Article 4(1). While, positive means the presence of Cr VI on tested areas and the result(s) was (were)
	regarded as in conflict with European Parliament and Council Directive 2011/65/EU, Article 4(1).
	金 属 材 料 的 六 价 铬 结 果 以 阴 性 和 阳 性 表 示 。 阴 性 表 示 六 价 铬 未 被 检 出 在 测 试 表 面 , 即 结 果 被 认 为 将 2 0 1 1 / 6 5 / E U 指 令 中 , 条 款
	要求。
	g Approach [Compliance Test for European Parliament and Council Directive 2011/65/EU] :
	5法[合规测试 — 欧盟委员会指令 2011/65/EU]:
	sting approach was with reference to the following document(s).
」试	加速於截下、列文:供 IEC 62321-1: 2013 and IEC 62321-2: 2013
1	国际标准IEC 62321-1:2013and IEC 62321-2:2013
2	"RoHS Enforcement Guidance Document Version 1" by EU RoHS Enforcement Authorities Informal Network. (May 2006)
2	"RoHS强制指导文件版本 1"EURoHS强制委员会非正式网络
	(दि0-186 Regutations - Government Guidance Notes" by United Kingdom Department for Business Innovation & Skills.
3	(February 2011)
	" R o H S 章 程 - 政 府 指 导 注 释 " 英 国 贸 易 和 工 业 局 (2007, 2月)
	"Final Report to RoHS substances (Hg, Pb, Cr(VI), Cd, PBB and PBDE) in electrical and electronic equipment in Belgium" by
4	Belgium Federal Public Service Health, Food Chain Safety and Environment. (November 2005)
4	"比利时关于电子电气类产品 RoHS受限物质(汞, 铅, 六价铬, 镉, 多溴联苯和多溴二苯醚)"比利时公共服务, 健康, 食品链和




Technical Report: **(3222)106-0022** May.20,2022 Page 13 of 15

SAMPLE REFERENCE PHOTO:





Technical Report: **(3222)106-0022** May.20,2022 Page 14 of 15



-- END OF REPORT --



Technical Report: **(3222)106-0022** May.20,2022 Page 15 of 15

<u>Appendix</u> Additional Model

UTP CAT5e 1/2/4PR PVC/LSZH/LDPE FTP CAT5e 1/2/4PR PVC/LSZH/LDPE UTP CAT6/CAT6A 4PR PVC/LSZH/LDPE F/UTP CAT6/CAT6A 4PR PVC/LSZH/LDPE SF/UTP CAT5E/CAT6 PVC/LSZH/LDPE S/FTP CAT6A/CAT7/CAT7A PVC/LSZH UTP CAT5e PATCH CORD PVC/LSZH UTP CAT6/CAT6A PATCH CORD PVC/LSZH F/UTP CAT5e/CAT6/CAT6A PATCH CORD PVC/LSZH SF/UTP CAT5e/CAT6 PATCH CORD PVC/LSZH

Note: The information in this Appendix is provided by client.Since the client was not able to provide the sample of additional Style, above additional Style(s) hasn't been tested, but only based on the guarantee letter provided by the client. Bureau Veritas-CPS takes no responsibility for any mistakes and the problems of product consistency caused by inaccurate and/or invalid information submitted by the client. The client will take the responsibility of all discrepancy and risk.